

RK-A2 - Feature #3669

Modularize the appengine application

07/19/2024 05:47 AM - Md Shahzar

Status:	New	Start date:	07/19/2024
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Description			
Follow the below structure			
<pre>app-engine/ ├── .gcloudignore ├── appengine ├── requirements.txt ├── app-dev.yaml ├── app-qa.yaml ├── app-prod.yaml ├── main.py ├── app/ │ ├── init.py │ ├── routes.py │ ├── services/ │ │ ├── init.py │ │ ├── openai_service.py │ │ └── qna_service.py │ ├── clients/ │ │ ├── init.py │ │ ├── openai_client.py │ │ └── bucket_client.py │ ├── utils/ │ │ ├── init.py │ │ ├── key_encoder_decoder.py │ │ └── app_config.py │ ├── openai/ │ │ ├── init.py │ │ └── routes.py │ └── qna/ │ ├── init.py │ └── routes.py └── tests/ └── all the test will be inside this folder</pre>			
Subtasks:			
Task # 3670: Create blueprints			New
Task # 3671: Seperate into service and dao for datastore helper			New
Task # 3672: Seperate into service and client for assistant_api			New
Task # 3673: Create a bucket_client			New

History

#1 - 07/23/2024 07:29 AM - Md Shahzar

- Description updated